

MATERIAL SAFETY DATA SHEET

SECTION 1

Date Prepared: December 1, 2011

Product Name: Odourless #2
Information Phone: 1-(877) 744-0751
Supplier's Address: 3175 14th Ave Unit 1 Markham, ON, L3R 0H1
Prepared By: MSDS Co-ordinator, (877) 744-0751 ext 205, Brodi Specialty Products Ltd
WHMIS Information
Class B, Division 3 Combustible Liquids
Transportation of Dangerous Goods Information (Rail/Road)
Shipping Name: PETROLEUM DISTILLATES, N.O.S.
Class: 3
UN Number: UN1268
Packaging Group: III

SECTION 2 HAZARDOUS INGREDIENTS

Conc.(W/W) CAS Number
Naphtha (Petroleum), Heavy Alkylate 100.00% 64741-65-7

SECTION 3 PHYSICAL/CHEMICAL PROPERTIES

Chemical Family: Petroleum Hydrocarbon
Ingredients: Mixture of Petroleum Hydrocarbons, mainly Isoparaffins.
Appearance and Odour: Clear, colourless liquid.
Boiling Point Initial: 175 Deg. C
Boiling Point Final: 195 Deg. C
% Volatile by Volume: 100
Vapour Pressure: 0.07 kPa @ 20 Deg.C
Vapour Density (Air = 1): 5.3
MATERIAL SAFETY DATA SHEET
Page 2 of 3
Specific Gravity: 0.758 @ 15.6/15.6 Deg. C (60/60 Deg. F)
Solubility in Water: 0.05 g/l Negligible
Evaporation Rate (n-Butyl acetate = 1): 0.1

SECTION 4 FIRE AND EXPLOSION HAZARD

Flash Point and Method: TCC: 51 Deg. C
Auto Ignition Temperature: 347.8 Deg C
Flammable Limits (Percent by Volume) (Lel) 0.6 (Uel) 7.0
Hazardous Products of Combustion: Fumes, smoke and carbon monoxide.
Special Fire Fighting Procedures: Respirators required for firefighting personnel. If possible to do so safely, shut off fuel to fire.
Extinguishing Agents: Use dry chemical, carbon dioxide, alcohol foam, or water spray as extinguishing agents.
Use water spray to cool fire-exposed surfaces and to protect personnel. When using water spray, boil-over may occur when the product temperature reaches the boiling point of water.

SECTION 5 REACTIVITY DATA

Stability: Stable
Incompatibility and Materials/Conditions to Avoid: Strong oxidizing agents.

SECTION 6 HEALTH HAZARD DATA

Exposure Limit for Vapour Mixture: 192 ppm (1200 mg/m³) total hydrocarbons recommended. (8 hour TWA)
Inhalation: The vapours have a low to moderate toxicity. In high concentrations the vapours are irritating and anaesthetic. The irritating properties give warning as anaesthetic concentrations are approached.
Eye Contact: Slightly irritating, but does not cause eye tissue damage.
Skin Contact: Very low order of toxicity by skin absorption. However, frequent or prolonged contact may irritate the skin and cause dermatitis.
Ingestion: Low order of toxicity. However, minute amounts aspirated into the lungs during swallowing or subsequent vomiting may cause severe lung irritation.

SECTION 7 PRECAUTIONS FOR SAFE HANDLING AND USE

Adequate ventilation should be provided to maintain the total hydrocarbon concentration below the above mentioned occupational exposure limit. Avoid frequent or prolonged skin contact. Wear suitable eye protection if the possibility of splashing exists.
Keep container closed. Store in cool place well removed from strong oxidants, sources of ignition and building exits.
Product is a static accumulator. Take precautions as to adequate grounding etc. when transferring at temperatures near or above flash point.
Containers of this material may be hazardous when emptied. Emptied containers retain product residue (vapour, liquid etc.)

IN CASE OF SPILL

Remove all sources of ignition. Prevent from entering sewers or water courses. Ventilate enclosed spaces or wear respiratory protection. Procedures For Clean-up: Pump up (explosion proof motor) or soak up with sand, cotton waste or other absorbent.
Waste Disposal: Controlled incineration or use waste disposal service. In case of large spills, warn public of downwind explosion hazard.

SECTION 8 EMERGENCY FIRST AID PROCEDURES

Inhalation: Rescuers should wear respiratory protection. Remove immediately from contaminated area. Apply artificial respiration if breathing has stopped. Call a physician.
Eye Contact: Flush with water for at least 15 minutes, seek medical attention if irritation persists.
Skin Contact: Wash with soap and water. Ingestion: Due to the possibility of aspiration into the lungs, do not induce vomiting, keep at rest and call a physician.
The information provided in this Material Safety Data Sheet has been obtained from sources believed to be reliable. Brodi Specialty Products Ltd. provides no warranties express or implied and assumes no responsibility for the accuracy or the completeness of the data contained herein.